## **CUHCC COVID-19 Vaccine Recommendation Guide**

COVID-19 VACCINE MIX & MATCH BOOSTER DOSE SUMMARY OF RECOMMENDATIONS			
Vaccine & Population Category	CDC recommendation		
Pfizer & Moderna recipients falling into one of the authorized booster categories	May mix & match a booster dose of Moderna (half-dose), Pfizer, or Janssen at least 6 months after completing their primary vaccination, if indicated following Booster Flowchart below		
Janssen recipients 18+ years of age	May mix & match a booster dose of Moderna (half-dose), Pfizer, or Janssen at least 2 months after completing their primary vaccination, if indicated following Booster Flowchart below		

CDC statement on ACIP Booster recommendations

https://www.cdc.gov/media/releases/2021/p0924-booster-recommendations-.html

https://www.cdc.gov/media/releases/2021/p1021-covid-booster.html

## 3rd Dose Moderna/Pfizer for Immunocompromised Patients - Minimum 28 days after 2nd dose

- Receiving active cancer treatment for tumors or cancers of the blood
- Received organ transplant AND are taking medicine to suppress immune system
- Received stem cell transplant w/in the last 2 years OR are taking medicine to suppress the immune system
- Mod-severe primary immunodeficiency (DiGeorge syndrome, Wiskott-Aldrich syndrome)
- Advanced or untreated HIV Infection
- Active treatment with high dose corticosteroids (High-dose corticosteroids in ≥2mg/kg/day or ≥20mg/day of prednisone or prednisone equivalents for >2 weeks) or other immunosuppressive drugs)

COVID-19 BOOSTER DOSE SUMMARY OF RECOMMENDATIONS				
Vaccine	Eligible Group	CDC recommendation for Booster		
Janssen	18+ years old	At least 2 months after the completion of the single-dose primary regimen, eligible	e for mix and match	
Moder na or Pfizer	Residents in long-term care settings	<ul> <li>Skilled nursing and nursing homes</li> <li>Residential settings for people with disabilities and older adults, including group homes, shared living, adult foster care, and transitional housing</li> <li>Assisted living, intermediate care, residential care, or independent living facilities for older adults or people with disabilities</li> <li>Retirement communities, senior housing, personal care homes, board and care homes</li> <li>Inpatient or residential setting for people with psychiatric or substance use disorders</li> <li>Congregate day programs, including adult day programs or other community-based day service programs</li> <li>Senior center programs and congregate nutrition programs</li> </ul>	At least 6 months after their 2-dose primary series. Eligible for mix and match	
	People aged 18-64	<b>CDC endorsed Medical Conditions:</b> Cancer (if did not meet 3 <sup>rd</sup> dose criteria), Chronic Kidney Disease, COPD, asthma, interstitial lung disease, cystic fibrosis, pulmonary hypertension, dementia, diabetes (type I or type II), Down syndrome,		

with underlyir g medica condition	overweight/obesity, pregnancy, sickle cell disease, smoking (current or former),	
People aged 18-64 years who work or live in high risk settings	Work or Reside in locations at increased risk for COVID-19 exposure:  • First responders (healthcare workers, firefighters, police, congregate care staff)  • Education staff (teachers, support staff, daycare workers)  • Homeless shelters  • Food, agriculture, and grocery store workers  • Manufacturing workers  • Corrections workers  • Public transit workers	Table Developed by CUHCC Pharmacy Team; Updated 10.25.21 CUHCC Pharmacy Team
Anyone	55+ years of age	